

MycoZap™ Antibiotics

Datasheet

MycoZap™ Plus-CL

For protection of continuous cell lines from bacteria, fungi and mycoplasma contaminations

MycoZap™ Plus-PR

For protection of primary cells from bacteria, fungi and mycoplasma contaminations

MycoZap™ Prophylactic

For protection of cell lines and primary cells from mycoplasma contaminations

Product Information

Contents

Cat. No.	Product	Size
VZA-2011	MycoZap™ Plus-CL	10 x 1 ml
VZA-2012	MycoZap™ Plus-CL	1 x 20 ml
VZA-2021	MycoZap™ Plus-PR	10 x 1 ml
VZA-2022	MycoZap™ Plus-PR	1 x 20 ml
VZA-2031	MycoZap™ Prophylactic	10 x 1 ml
VZA-2032	MycoZap™ Prophylactic	1 x 20 ml

Shipping & Storage

The products are shipped at room temperature. They should be stored at -20°C for long term storage. The products need to be protected from light.

Quality Control

Activity of MycoZap™ Antibiotics is controlled by functional tests (microbiological assays) and cytotoxicity assays.

Use Restrictions & Precautions

For research use only! Avoid contact with skin. Don't swallow. The products contain a fluorochinoline and shall not be used with cells containing killer genes or other selection markers induced by these antibiotics. The anti-mycoplasmatic reagents contained in the MycoZap™ Antibiotics are only suited for prevention of mycoplasma contaminations but not for elimination of an existing contamination. For this purpose we strongly recommend the MycoZap™ Mycoplasma Elimination Reagent (Lonza, Cat. No. LT07- 818).

General Product Use

A conservative estimate states that between 15 – 35% of all continuous cell cultures are contaminated with mycoplasma¹, some estimates are even higher (up to 80% in some countries²). Mycoplasma contamination affect the consistency and reproducibility of research results and in industrial cell culture fermentation the yield and quality of the produced fermentation product. Mycoplasma-free cell cultures are consequently of major relevance in research, diagnostics, and biotechnological production. Supplementing cell cultures with the MycoZap™ Antibiotics is an easy way to work mycoplasma-free even under complicated environmental conditions.

MycoZap™ Plus-CL and MycoZap™ Plus-PR

MycoZap™ Plus-CL and MycoZap™ Plus-PR are ready-to-use solutions of innovative reagents for protecting cell cultures from a broad range of common contaminants. While MycoZap™ Plus-CL is optimal for continuous cell lines, the special formulation of MycoZap™ Plus-PR allows a reliable and gentle protection of primary cells which are usually delicate in means of chemical robustness and usually do not tolerate high antibiotic concentrations to prevent microbial contamination.

- Both, MycoZap™ Plus-CL and MycoZap™ Plus-PR, are active against mycoplasma, but also Gram (-) and Gram (+) bacteria as well as yeast and fungi.
- The mixtures can be added directly to the culture medium.
- Contaminations with up to 1.000 germs per culture can easily be blocked from proliferation.
- MycoZap™ Plus-CL and MycoZap™ Plus-PR can be used continuously and replace the old-fashioned Pen/Strep formulation.

MycoZap™ Prophylactic

MycoZap™ Prophylactic specifically prevents mycoplasma contamination from growth and can be combined with any antibiotic formulation that is already established in your lab's culture practice.

- Contaminations with up to 1.000 mycoplasma per culture can be reliably blocked.
- MycoZap™ Prophylactic is mild to cells.
- It is also active against other species of the mycoplasma group like Acholeplasma and Spiroplasma.

Instructions for Use


MycoZap™ Antibiotics are provided as a sterile 500x concentrated aqueous solution. 1 ml is sufficient for 500 ml of culture medium. The concentrate can also be added directly to a cell culture.

- Cell cultures can be supplemented with MycoZap™ Antibiotics at any time during culturing workflow, i.e. they can be added to a proliferating culture, during medium renewal, or directly after passaging/trypsinization.
- With MycoZap™ Plus-CL or Plus-PR other antibiotics like Pen/Strep can still be used in parallel but are not required. The antimicrobial spectrum of penicillin and streptomycin is completely covered by MycoZap™ Plus-CL or Plus-PR.
- With MycoZap™ Prophylactic other antibiotics can be used in parallel.
- MycoZap™ Antibiotics should be refreshed by medium change after 7 days of incubation at 37°C.

Toxicity

To date, no data on toxicity of MycoZap™ Antibiotics to cell lines or primary cells being treated with the recommended concentrations have been reported to Lonza.

Additional Information

 For more information about mycoplasma contamination and our anti-mycoplasma products please see www.lonza.com/mycoplasma

References

1. Drexler HG, Uphof CC (2002) Mycoplasma contamination of cell cultures: Incidence, sources, effects, detection, elimination, prevention. *Cytotechnology* 39: 75–90
2. Koshimizu K, Kotani H (1981). In: *Procedures for the Isolation and Identification of Human, Animal and Plant Mycoplasmas* (Nakamura, M., ed.), Saikon, Tokyo, 87-102.

Contact Information

North America

Customer Service: 800 638 8174 (toll free)
order.us@lonza.com
Scientific Support: 800 521 0390 (toll free)
scientific.support@lonza.com

Europe

Customer Service: +32 87 321 611
order.europe@lonza.com
Scientific Support: +32 87 321 611
scientific.support.eu@lonza.com

International

Contact your local Lonza distributor
Customer Service: +1 301 898 7025
scientific.support@lonza.com

International Offices

Australia	+61 3 9550 0883
Belgium	+32 87 321 611
Brazil	+55 11 2069 8800
France	0800 91 19 81 (toll free)
Germany	0800 182 52 87 (toll free)
India	+91 40 4123 4000
Ireland	1 800 654 253 (toll free)
Italy	800 789 888 (toll free)
Japan	+81 3 6264 0660
Luxemburg	+32 87 321 611
Poland	+48 781 120 300
Singapore	+65 6521 4379
Spain	900 963 298 (toll free)
The Netherlands	0800 022 4525 (toll free)
United Kingdom	0808 234 97 88 (toll free)

Lonza Cologne GmbH – 50829 Cologne Germany

For research use only. Not for use in diagnostic procedures.
Unless otherwise noted, all trademarks herein are marks of the Lonza Group Ltd or its affiliates. The information contained herein

is believed to be correct and corresponds to the latest state of scientific and technical knowledge. However, no warranty is made, either expressed or implied, regarding its accuracy or the results to be obtained from the use of such information and no warranty is expressed or implied concerning the use of these products. The buyer assumes all risks of use and/or handling. Any user must make his own determination and satisfy himself that the products supplied by Lonza Group Ltd or its affiliates and the information and recommendations given by Lonza Group Ltd or its affiliates are (i) suitable for intended process or purpose, (ii) in compliance with environmental, health and safety regulations, and (iii) will not infringe any third party's intellectual property rights.

© Copyright 2014, Lonza Cologne GmbH. All rights reserved.
FL-MycoZapDS 07/12 CD-DS016
